

Product Change Notification

PCN20-1-Change white epoxy to black

C&K

465 Waverley Oaks Road, Waltham MA 02452 Tel: +617.969.3700 ckswitches.com



Document revision

Revision	Date	Description	Author
В	10-Nov-2021	Change from white epoxy to	Paul DiLorenzo
		black	

465 Waverley Oaks Road, Waltham MA 02452 Tel: +617.969.3700 ckswitches.com



Summary

1.	Purpose	. 4
2.	Overview	. 4
3.	Impact of Change	. 4
4.	Part References affected	5
	Date of application	
6.	Conditions of application	. 5
	Support	

C&K

465 Waverley Oaks Road, Waltham MA 02452 Tel: +617.969.3700 ckswitches.com



1. Purpose

C&K, as a design and manufacturing company of electromechanical switches, is constantly looking ensure the continued high quality of our products.

To continue producing our high-quality parts we need to change our white epoxy to black.

2. Overview

Due to a manufacturer's obsolescence of a white epoxy resin, we have identified a black epoxy resin that meets or exceeds all the specifications of the white.

Many C&K switches have an epoxy seal around their terminals. In all cases where white epoxy was used for this sealing we will be changing to black.

3. Impact of Change and Qualification

- 3.1 Impact of Change None
- 3.2 Qualification Samples built with black resin were submitted for performance verification testing. All tests had satisfactory results. Test log number H191349 (Available upon request)



4. Part References affected

Series	Product Type	Options Affected	
1000	Slide	"I" Epoxy potted base option	
7000	Toggle and Rocker	"I" Epoxy potted base option	
8020	Pushbutton	"I" Epoxy potted base option	
8060	Pushbutton	"I" Epoxy potted base option	
8500	Pushbutton	8533 and 8534 Switch function options	
8600	Pushbutton	8633 Switch function options	
Α	Rotary	"E" and "K" Seal options	
DM	Rocker	DM14, DM24, DM54 and DM64 switch function options	
E	Toggle and Rocker	E203, E205, E207, E208, E211, E213, E215 and E301 switch function options with "A", "AV2", "C" or "Vxx" Termination options	
EP	Pushbutton	"AV" and "AV3" Termination options	
ES	Slide	All	
ET	Toggle	"AV" and "AV2" Termination options	
GP	Pushbutton	All	
GS	Slide	All	
GT	Toggle	All	
TM	Snaps	Screw Terminal options	
TL	Snaps	Screw Terminal options	
KM	Pushbutton	KM11 Switch function with "E" Seal option	

5. Date of application

Immediately

6. Conditions of application

Ordering: P/N codes remained unchanged.

Pricing: Any pricing and other sales condition remain valid. No change.

Stock handling: No return or scrap required since there is zero impact on the switch

7. Support

For any question, please contact your C&K sales representative.

C&K

465 Waverley Oaks Road, Waltham MA 02452 Tel: +617.969.3700 ckswitches.com